

FIG. 1




FIG. 2




FIG. 3A

## 2 Flow Charts

### Server-side request processing (Figure 1)




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 4A

# Client-sid Windows Media Player (WMP) detection




FIG. 4B




FIG. 4C



Client-side  
QuickTime (QT) detection




FIG. 4D

332




FIG. 5 A




FIG. 5B




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7

PUBLISHING VARIABLES	SOURCE TYPE 710	DESTINATION TYPE 750	DESTINATION TYPE 760
PHYSICAL MEDIUM	LOCAL DISK	INTERNET	WIRELESS NETWORK
COMMUNICATION PROTOCOL	FILE I/O	WINDOWS MEDIA STREAMING MMS PROTOCOL	HTTP
CONTAINER FORMAT	MP3	WINDOWS MEDIA	MP3
ENCODING BIT RATE	128 kbps	56 kbps	12 kbps

FIG. 8



CLIENT ENVIRONMENT VARIABLES	SOURCE TYPE 810	DESTINATION TYPE 850
OS VERSION	WINDOWS XP	MAC OS X
WEB BROWSER VERSION	NAVIGATOR 3.0	OMNIWEB 4.1
HARDWARE PLATFORM	PENTIUM 4	G3
USER INTERFACE LANGUAGE	JAVASCRIPT FOR NAVIGATOR 3.0	XSLT FOR OMNIWEB 4.1

FIG. 9